

<u>TEST</u>	<u>SPECIFICATION</u>	<u>METHOD</u>
RESEARCH OCTANE NUMBER	REPORT	ASTM D2699
MOTOR OCTANE NUMBER	REPORT	ASTM D2700
OCTANE RATING	87.0-88.4	(R+M)/2
OCTANE SENSITIVITY	7.5, MIN.	R-M
ETHANOL CONTENT, VOL%	9.8-10.2	ASTM D4815
MTBE, VOL%	0.05, MAX.	ASTM D4815
OXYGEN CONTENT, WT%	3.30-3.70	ASTM D4815
TOTAL SULFUR, PPM	8.0-11.0	ASTM D5453
LEAD CONTENT, G/GAL	0.01, MAX.	ASTM D3237
PHOSPHOROUS CONTENT, G/GAL	0.005, MAX.	ASTM D3231
RVP @ 100°F, PSI	6.90-7.20	ASTM D5191
DISTILLATION, IBP, °F	REPORT	ASTM D86
DISTILLATION, 5%, °F	REPORT	ASTM D86
DISTILLATION, 10%, °F	130.0-150.0	ASTM D86
DISTILLATION, 20%, °F	REPORT	ASTM D86
DISTILLATION, 30%, °F	REPORT	ASTM D86
DISTILLATION, 40%, °F	REPORT	ASTM D86
DISTILLATION, 50%, °F	205.0-215.0	ASTM D86
DISTILLATION, 60%, °F	REPORT	ASTM D86
DISTILLATION, 70%, °F	REPORT	ASTM D86
DISTILLATION, 80%, °F	REPORT	ASTM D86
DISTILLATION, 90%, °F	310.0-320.0	ASTM D86
DISTILLATION, 95%, °F	REPORT	ASTM D86
DISTILLATION, DP, °F	390.0, MAX.	ASTM D86
RECOVERY, VOL%	REPORT	ASTM D86
RESIDUE, VOL%	2.0, MAX.	ASTM D86
LOSS, VOL%	REPORT	ASTM D86
AROMATIC CONTENT, VOL%	19.5-22.5	ASTM D1319
OLEFINS CONTENT, VOL%	4.0-6.0	ASTM D1319
SATURATES, VOL%	REPORT	ASTM D1319
MULTI SUB. AHC CONTENT, VOL%	13.0-15.0	ASTM D5769
SPECIFIC GRAVITY @ 60°F	REPORT	ASTM D4052
OXIDATION STABILITY	1000, MIN.	ASTM D525

Note: This information is offered for your consideration, investigation and verification. It should not be construed as a warranty or guaranty.

rethink_refine_resolve

Office: 248_541_3824
Fax: 248_541_8970

821 Wanda Avenue
Ferndale, MI 48220

Follow us on:



gageproducts.com



CARB Lev III Certification Fuel Regular 42012

EXISTENT GUM (WASHED), MG/100ML	3.0, MAX.	ASTM D381
UNWASHED GUM, MG/100ML	REPORT	ASTM D381
COPPER CORROSION	1B, MAX.	ASTM D130
BENZENE CONTENT, VOL%	0.60-0.80	ASTM D5580
NET HEAT COMB., MJ/KG	REPORT	ASTM D240
CARBON CONTENT, WT%	REPORT	ASTM D5291
HYDROGEN CONTENT, WT%	REPORT	ASTM D5291
DEPOSIT CONTROL ADD ACTIVE, PPM	190-210	CALCULATED

Note: This information is offered for your consideration, investigation and verification. It should not be construed as a warranty or guaranty.

rethink_refine_resolve

Office: 248_541_3824
Fax: 248_541_8970

821 Wanda Avenue
Ferndale, MI 48220

gageproducts.com

Follow us on:

